



HAI FAN

无棣海帆索具有限公司
WUDI HAIFAN RIGGING CO.,LTD



YOUR KIND
OF SAILING



COMPANY PROFILE

Introduction

Wudi Haifan Rigging Co.,Ltd. was established in 2004. We are a professional manufacturer with a focus on rigging and a series of hardware. We are located in the industrial park of Wudi county in Shandong province, Lubei plain which is a unique geographical position on the edge of Qingdao port, Tianjin port and also near Jinan and Beijing. Transportation is very convenient, extending in all directions.

Since the company was formed, the business has been growing constantly and has developed into a company with the factory floor covers over 5,000 square meters and has more than 100 employees, including more than 50 specialized technicians.

The company specializes in stainless steel rigging hardware. The main products include turnbuckles, wire rope clips, shackles, thimbles, swivels, bolts and nuts, hooks, pulleys, Round/D and triangle rings, marine sailboat hardware rigging, etc.

The company has a number of professional precision casting production lines, machining CNC lines, machining centers and advanced spectral analysis of quality inspection equipment to ensure the material is of high quality. In addition, it has high pressure test leak detection equipment, solid melting furnace and other advanced testing equipment. The company can also take up processing business according to the drawings, samples and materials provided by customers.

Our operation philosophy is to pursue perfection in quality, putting the customers first, a pioneering spirit, being the best. and these practices have been adopted by every employee of our company. Our products are exported to Europe and the United States, Australia, Southeast Asia and South Korea, Japan and other regions having won trust and high praise.

Our company's slogan is "striving for the best and maximising customer satisfaction"; our policies also include going green and taking our social responsibilities further. We believe in an even brighter future by working with our customers wholeheartedly as together we can create a better tomorrow!

无棣海帆索具有限公司，成立于 2004 年，是一家专注于索具五金系列产品的生产商，地处鲁北平原，山东省无棣县工业园区。地理位置优越，得天独厚，濒临青岛港，天津港，与济南，北京临近相连。交通便利，四通八达。

自公司成立以来，业务不断快速平稳发展，先已经发展成为拥有厂房占地面积 5000 多平方米，员工 100 多名，其中包括专业技术人员 50 多名的一家企业。

公司专业致力于不锈钢索具五金产品。主要产品包括花篮、卡头，卸扣，套环，旋转环、吊环螺丝、螺母、钩子、滑轮、圆环、D 型环、三角环等各种船用索具五金产品。

本厂拥有一批专业的精密铸造生产线、数控加工线、加工中心。质量检验设备的先进光谱分析保证材料质量。高压试验检漏设备、固体熔化炉等先进检测设备。本公司还可以根据客户提供的图纸、样品和材料进行加工生产业务。

公司本着“质量第一，客户至上”的理念，以及海帆人开拓进取的精神。公司产品远销欧美，澳洲，东南亚，韩国，日本等一些地区，深受广大客户的信赖和好评。


公司以“不求最大，力争最优”的经营方针，以“顾客满意”为质量方针，以“爱护环境、回报社会”为社会责任，竭诚为各界新老客户提供质优价廉的产品，愿与广大客户共创美好的明天！

无棣海帆索具有限公司

WUDI HAIFAN RIGGING CO.,LTD


Catalog

1,Stainless Steel Turnbuckle	1-8
2,Stainless Steel Terminal	9-15
3,Stainless Steel Wire Rope Clip	16-18
4,Stainless Steel Thimble	19-20
5,Stainless Steel Shackle	21-24
6,Stainless Steel Ring & Swivel	25-26
7,Stainless Steel Swivel	26-26
8,Stainless Steel Eye Plate	27-29
9,Stainless Steel Eye Bolts & Eye Nuts	30-34
10,Stainless Steel Hooks	35-43
11,Stainless Steel Pulley	44-44
12,Stainless Steel U Bolt	45-45
13,Stainless Steel Link Chain	46-46
14,Wire Rope Ferrule	47-52
15,Stainless Steel Marine Hardware	53-56






不锈钢花兰 Stainless Steel Turnbuckles




款式封闭花兰-杆摆型 AISI304/316



Stainless Steel Turnbuckle Toggle/Wire-Rope-Terminal

ITEM NO	Φ	D1	L	L1	A	D2	L2	H	D4	LG	B	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0003-A0603	3	M6	180	95	7	6	39	15	7	250	1.75	0.087
HF0003-A0804	4	M8	210	105	10	8	45	20	10	285	2.25	0.157
HF0003-A1005	5	M10	250	125	12	9	52	25	12	340	2.50	0.313
HF0003-A1206	6	M12	300	150	13	12	64	30	13	410	3.00	0.517
HF0003-A1608	8	M16	390	190	17	16	80	40	17	530	4.00	1.230
HF0003-A2010	10	M20	450	210	20	19	90	45	20	590	4.50	1.800




款式封闭花兰- 摆摆型 AISI304/316

Stainless Steel Jaw & Toggle European type Fomed & Machined

ITEM NO	SIZE	D	L1	L2	A	H	WT
		mm	mm	mm	mm	mm	KGS
HF0004-A0006	M6	6	160	230	7	15	0.100
HF0004-A0008	M8	8	190	265	10	20	0.191
HF0004-A0010	M10	9	230	320	12	25	0.399
HF0004-A0012	M12	12	280	390	13	30	0.630
HF0004-A0016	M16	16	370	510	17	40	1.450
HF0004-A0020	M20	19	430	570	20	45	



日式封闭花兰-叉型 AISI304/316




Stainless Steel JIS Closed Body Turnbuck

ITEM NO	D1	L	B	H	C	A	h	WT
	mm	mm	mm	mm	mm	mm	mm	KGS
HF0005-A0005	5M	190	130	80	5	6.5	10	0.055
HF0005-A0006	6M	225	155	95	6	7.5	10	0.095
HF0005-A0008	8M	255	180	105	8	11	11	0.209
HF0005-A0010	10M	300	210	125	9	12	14	0.365
HF0005-A0012	12M	380	270	150	12	14	20	0.648
HF0005-A0014	14M	415	295	170	12	15	22	0.883
HF0005-A0016	16M	480	340	190	16	17	26	1.415






不锈钢花兰 Stainless Steel Turnbuckles




款式封闭花兰-杆摆型 AISI304/316



Stainless Steel Turnbuckle Toggle/Wire-Rope-Terminal


ITEM NO	Φ	D1	L	L1	A	D2	L2	H	D4	LG	B	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0003-A0603	3	M6	180	95	7	6	39	15	7	250	1.75	0.087
HF0003-A0804	4	M8	210	105	10	8	45	20	10	285	2.25	0.157
HF0003-A1005	5	M10	250	125	12	9	52	25	12	340	2.50	0.313
HF0003-A1206	6	M12	300	150	13	12	64	30	13	410	3.00	0.517
HF0003-A1608	8	M16	390	190	17	16	80	40	17	530	4.00	1.230
HF0003-A2010	10	M20	450	210	20	19	90	45	20	590	4.50	1.800




款式封闭花兰- 摆摆型 AISI304/316

Stainless Steel Jaw & Toggle European type Fomed & Machined

ITEM NO	SIZE	D	L1	L2	A	H	WT
		mm	mm	mm	mm	mm	KGS
HF0004-A0006	M6	6	160	230	7	15	0.100
HF0004-A0008	M8	8	190	265	10	20	0.191
HF0004-A0010	M10	9	230	320	12	25	0.399
HF0004-A0012	M12	12	280	390	13	30	0.630
HF0004-A0016	M16	16	370	510	17	40	1.450
HF0004-A0020	M20	19	430	570	20	45	



日式封闭花兰-叉型 AISI304/316




Stainless Steel JIS Closed Body Turnbuck

ITEM NO	D1	L	B	H	C	A	h	WT
	mm	mm	mm	mm	mm	mm	mm	KGS
HF0005-A0005	5M	190	130	80	5	6.5	10	0.055
HF0005-A0006	6M	225	155	95	6	7.5	10	0.095
HF0005-A0008	8M	255	180	105	8	11	11	0.209
HF0005-A0010	10M	300	210	125	9	12	14	0.365
HF0005-A0012	12M	380	270	150	12	14	20	0.648
HF0005-A0014	14M	415	295	170	12	15	22	0.883
HF0005-A0016	16M	480	340	190	16	17	26	1.415





不锈钢花兰 Stainless Steel Turnbuckles



欧式开体花兰-OC型/OC型/CC型 AISI304/316

Stainless Steel Turnbuckle. European Type . Eye & Hook


ITEM NO	SIZE	B	C	D	L	L1	WLL	WT
	mm	mm	mm	mm	mm	mm	Tone	KGS
HF0006-A/B04EH	M4	58	5	6.5	80	131	0.025	0.024
HF0006-A/B05EH	M5	70	6	10	96	146	0.04	0.04
HF0006-A/B06EH	M6	90	8	10	122	190	0.1	0.07
HF0006-A/B08EH	M8	120	12	12	164	255	0.2	0.13
HF0006-A/B10EH	M10	150	13	16	205	325	0.3	0.26
HF0006-A/B12EH	M12	200	15	18	264	425	0.5	0.48
HF0006-A/B14EH	M14	225	18	20	300	486	0.7	0.78
HF0006-A/B16EH	M16	250	20	26	337	548	0.8	1.06
HF0006-A/B20EH	M20	300	25	30	406	646	1.2	1.997



欧式开体花兰-叉叉型 AISI304/316

Stainless Steel Turnbuckle. European Type . Jaw & Jaw

ITEM NO	D1	L1	L	A	D	H	B	T1	WT
	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0007-A0005	M5	120	70	6.5	5	10	13	3	0.06
HF0007-A0006	M6	140	90	7.5	6	10	14	3	0.09
HF0007-A0008	M8	180	120	11	8	11	18.5	3	0.18
HF0007-A0010	M10	220	150	12	9	14	21	4	0.32
HF0007-A0012	M12	300	200	14	12	20	26	5	0.59
HF0007-A0014	M14	325	220	15	12	22	26.5	5	0.79
HF0007-A0016	M16	375	250	17	16	26	36	6	1.27
HF0007-A0020	M20	450	300	20	19	30	45.5	6	2.27



日式开体花兰-OC型/00型/CC型 AISI304/316


Stainless Steel JIS Type Turnbuckle

ITEM NO	SIZE	A	B	C	D	E	WLL	WT
	mm	mm	mm	mm	mm	mm	TONE	KGS
HF0008-A/B05EH	5M	5	70	130	8	9	0.1	0.038
HF0008-A/B06EH	6M	6	100	160	10	9	0.25	0.063
HF0008-A/B08EH	8M	8	125	200	12	10	0.35	0.137
HF0008-A/B10EH	10M	10	150	245	16	11	0.5	0.247
HF0008-A/B12EH	12M	12	200	300	20	14	1	0.459
HF0008-A/B16EH	16M	16	250	400	22	18	1.5	1.038
HF0008-A/B20EH	20M	20	300	480	28	20	2.3	1.811







不锈钢花兰 Stainless Steel Turnbuckles



封闭花兰体 AISI304/316

Stainless Steel.Rigging Screw Body European Type

ITEM NO	D1	L	D2	B	D3	L1	WT
	mm	mm	mm	mm	mm	mm	KGS
HF0012-A0004	M4	70	7	1.3	2.5	6	0.010
HF0012-A0005	M5	80	8	1.3	2.5	6	0.013
HF0012-A0006	M6	95	10	1.75	3.2	8	0.029
HF0012-A0008	M8	105	13	2.25	4.2	10	0.060
HF0012-A0010	M10	125	17	2.5	5	12	0.128
HF0012-A0012	M12	150	21	3	6	14	0.214
HF0012-A0014	M14	165	21	3	7	15	0.197
HF0012-A0016	M16	190	26.5	3.5	8	18	0.372
HF0012-A0020	M20	210	33.5	4.5	9	23	0.613



封闭花兰-杆杆型 AISI316

Stainless Steel.Rigging Screw Body European Type

ITEM NO	D1	L	D2	B	D3	L1	WIREΦ	G	L1	L2	L3	D	NV
	mm	mm	mm	mm	mm	mm	mm		mm	mm	mm	mm	mm
HF0013-A0004	M4	70	7	1.3	2.5	6	2	M4	73	38	24	4.8	3
HF0013-A0005	M5	80	8	1.3	2.5	6	2	M5	86	40	32	5.5	4
HF0013-A0006	M6	95	10	1.75	3.2	8	3	M6	100	48	39	6.35	5
HF0013-A0008	M8	105	13	2.25	4.2	10	4	M8	117	57	45	7.5	6
HF0013-A0010	M10	125	17	2.5	5	12	5	M10	130	63	52	9	7
HF0013-A0012	M12	150	21	3	6	14	6	M12	162	80	64	12.6	10
HF0013-A0014	M14	165	21	3	7	15	7	M14	180	90	70	14.2	12
HF0013-A0016	M16	190	26.5	3.5	8	18	8	M16	200	100	80	16	14
HF0013-A0020	M20	210	33.5	4.5	9	23	10	M20	230	119	90	18	15




不锈钢花兰 Stainless Steel Turnbuckles

美式开体花兰-CC型 AISI304/316

Stainless Steel U. S. Type Turnbuckle Hook&Hook

ITEM NO	SIZE	L	L1	S
	in	in	in	in
HF0014-A/B1/4HH	1/4	4	7.43	0.37
HF0014-A/B5/16HH	5/16	4.5	8.24	0.4
HF0014-A/B3/8HH	3/8	6	10.63	0.48
HF0014-A/B1/2HH	1/2	6	11.55	0.55
HF0014-A/B1/2HH	1/2	9	14.55	0.55
HF0014-A/B1/2HH	1/2	12	17.55	0.55
HF0014-A/B5/8HH	5/8	6	12.77	0.74
HF0014-A/B5/8HH	5/8	9	15.77	0.74
HF0014-A/B5/8HH	5/8	12	18.77	0.74
HF0014-A/B3/4HH	3/4	6	14.19	0.9
HF0014-A/B3/4HH	3/4	9	17.19	0.9
HF0014-A/B3/4HH	3/4	12	20.19	0.9




美式开体花兰-OC型 AISI304/316

Stainless Steel U. S. Type Turnbuckle Eye&Hook



ITEM NO	SIZE	L	L1	S	B	E
	in	in	in	in	in	in
HF0015-A/B1/4EH	1/4	4	7.43	0.37	0.32	0.78
HF0015-A/B5/16EH	5/16	4.5	8.24	0.4	0.43	0.94
HF0015-A/B3/8EH	3/8	6	10.63	0.48	0.51	1.12
HF0015-A/B1/2EH	1/2	6	11.55	0.55	0.71	1.44
HF0015-A/B1/2EH	1/2	9	14.55	0.55	0.71	1.44
HF0015-A/B1/2EH	1/2	12	17.55	0.55	0.71	1.44
HF0015-A/B5/8EH	5/8	6	12.77	0.74	0.87	1.75
HF0015-A/B5/8EH	5/8	9	15.77	0.74	0.87	1.75
HF0015-A/B5/8EH	5/8	12	18.77	0.74	0.87	1.75
HF0015-A/B3/4EH	3/4	6	14.19	0.9	0.99	2.09
HF0015-A/B3/4EH	3/4	9	17.19	0.9	0.99	2.09
HF0015-A/B3/4EH	3/4	12	20.19	0.9	0.99	2.09






不锈钢花兰 Stainless Steel Turnbuckles

美式开体花兰-00型 AISI304/316

Stainless Steel U.S. Type Turnbuckle Eye&Eye


ITEM NO	SIZE	L	L1	B	E	D2
	in	in	in	in	in	in
HF0016-A/B1/4EE	1/4	4	8	0.32	0.78	0.24
HF0016-A/B5/16EE	5/16	4.5	8.6	0.43	0.94	0.3
HF0016-A/B3/8EE	3/8	6	10.94	0.51	1.12	0.35
HF0016-A/B1/2EE	1/2	6	12	0.71	1.44	0.45
HF0016-A/B1/2EE	1/2	9	15	0.71	1.44	0.45
HF0016-A/B1/2EE	1/2	12	18	0.71	1.44	0.45
HF0016-A/B5/8EE	5/8	6	13.8	0.87	1.75	0.51
HF0016-A/B5/8EE	5/8	9	16.8	0.87	1.75	0.51
HF0016-A/B5/8EE	5/8	12	19.8	0.87	1.75	0.51
HF0016-A/B3/4EE	3/4	6	15.38	0.99	2.09	0.67
HF0016-A/B3/4EE	3/4	9	18.38	0.99	2.09	0.67
HF0016-A/B3/4EE	3/4	12	21.38	0.99	2.09	0.67
HF0016-A/B7/8EE	7/8	6	16.5	1.21	2.38	0.75
HF0016-A/B7/8EE	7/8	12	22.5	1.21	2.38	0.75
HF0016-A/B01EE	1	6	18.8	1.37	3	0.91
HF0016-A/B01EE	1	12	24.8	1.37	3	0.91
HF0016-A/B1-1/4EE	1-1/4	12	26.5	1.37	3.56	1.14



美式开体花兰-UU型 AISI304/316

Stainless Steel U.S. Type Turnbuckle Jaw&Jaw

ITEM NO	SIZE	L	L1	A	D	B	H
	in	in	in	in	in	in	in
HF0017-A/B1/4JJ	1/4	4	7.15	0.45	0.24	0.9	0.62
HF0017-A/B5/16JJ	5/16	4.5	8.61	0.49	0.24	1	0.87
HF0017-A/B3/8JJ	3/8	6	10.45	0.53	0.31	1.08	0.87
HF0017-A/B1/2JJ	1/2	6	11.88	0.67	0.39	1.36	1.06
HF0017-A/B1/2JJ	1/2	9	14.88	0.67	0.39	1.36	1.06
HF0017-A/B1/2JJ	1/2	12	17.88	0.67	0.39	1.36	1.06
HF0017-A/B5/8JJ	5/8	6	13.3	0.81	0.47	1.68	1.31
HF0017-A/B5/8JJ	5/8	9	16.3	0.81	0.47	1.68	1.31
HF0017-A/B5/8JJ	5/8	12	19.3	0.81	0.47	1.68	1.31
HF0017-A/B3/4JJ	3/4	6	14.62	1.02	0.63	1.97	1.5
HF0017-A/B3/4JJ	3/4	9	17.62	1.02	0.63	1.97	1.5
HF0017-A/B3/4JJ	3/4	12	20.62	1.02	0.63	1.97	1.5
HF0017-A/B7/8JJ	7/8	6	16	1.18	0.79	2.43	1.75
HF0017-A/B7/8JJ	7/8	12	22	1.18	0.79	2.43	1.75
HF0017-A/B01JJ	1	6	17.6	1.3	0.87	2.63	2.06
HF0017-A/B01JJ	1	12	23.6	1.3	0.87	1.3	2.06
HF0017-A/B1-1/4JJ	1-1/4	12	26.46	1.83	1.12	3.6	2.81
HF0017-A/B1-1/2JJ	1-1/2	12	27.88	2.05	1.38	3.96	2.81






不锈钢花兰 Stainless Steel Turnbuckles

美式开体花兰-00型 AISI304/316

Stainless Steel U.S. Type Turnbuckle Eye&Eye


ITEM NO	SIZE	L	L1	B	E	D2
	in	in	in	in	in	in
HF0016-A/B1/4EE	1/4	4	8	0.32	0.78	0.24
HF0016-A/B5/16EE	5/16	4.5	8.6	0.43	0.94	0.3
HF0016-A/B3/8EE	3/8	6	10.94	0.51	1.12	0.35
HF0016-A/B1/2EE	1/2	6	12	0.71	1.44	0.45
HF0016-A/B1/2EE	1/2	9	15	0.71	1.44	0.45
HF0016-A/B1/2EE	1/2	12	18	0.71	1.44	0.45
HF0016-A/B5/8EE	5/8	6	13.8	0.87	1.75	0.51
HF0016-A/B5/8EE	5/8	9	16.8	0.87	1.75	0.51
HF0016-A/B5/8EE	5/8	12	19.8	0.87	1.75	0.51
HF0016-A/B3/4EE	3/4	6	15.38	0.99	2.09	0.67
HF0016-A/B3/4EE	3/4	9	18.38	0.99	2.09	0.67
HF0016-A/B3/4EE	3/4	12	21.38	0.99	2.09	0.67
HF0016-A/B7/8EE	7/8	6	16.5	1.21	2.38	0.75
HF0016-A/B7/8EE	7/8	12	22.5	1.21	2.38	0.75
HF0016-A/B01EE	1	6	18.8	1.37	3	0.91
HF0016-A/B01EE	1	12	24.8	1.37	3	0.91
HF0016-A/B1-1/4EE	1-1/4	12	26.5	1.37	3.56	1.14



美式开体花兰-UU型 AISI304/316

Stainless Steel U.S. Type Turnbuckle Jaw&Jaw

ITEM NO	SIZE	L	L1	A	D	B	H
	in	in	in	in	in	in	in
HF0017-A/B1/4JJ	1/4	4	7.15	0.45	0.24	0.9	0.62
HF0017-A/B5/16JJ	5/16	4.5	8.61	0.49	0.24	1	0.87
HF0017-A/B3/8JJ	3/8	6	10.45	0.53	0.31	1.08	0.87
HF0017-A/B1/2JJ	1/2	6	11.88	0.67	0.39	1.36	1.06
HF0017-A/B1/2JJ	1/2	9	14.88	0.67	0.39	1.36	1.06
HF0017-A/B1/2JJ	1/2	12	17.88	0.67	0.39	1.36	1.06
HF0017-A/B5/8JJ	5/8	6	13.3	0.81	0.47	1.68	1.31
HF0017-A/B5/8JJ	5/8	9	16.3	0.81	0.47	1.68	1.31
HF0017-A/B5/8JJ	5/8	12	19.3	0.81	0.47	1.68	1.31
HF0017-A/B3/4JJ	3/4	6	14.62	1.02	0.63	1.97	1.5
HF0017-A/B3/4JJ	3/4	9	17.62	1.02	0.63	1.97	1.5
HF0017-A/B3/4JJ	3/4	12	20.62	1.02	0.63	1.97	1.5
HF0017-A/B7/8JJ	7/8	6	16	1.18	0.79	2.43	1.75
HF0017-A/B7/8JJ	7/8	12	22	1.18	0.79	2.43	1.75
HF0017-A/B01JJ	1	6	17.6	1.3	0.87	2.63	2.06
HF0017-A/B01JJ	1	12	23.6	1.3	0.87	1.3	2.06
HF0017-A/B1-1/4JJ	1-1/4	12	26.46	1.83	1.12	3.6	2.81
HF0017-A/B1-1/2JJ	1-1/2	12	27.88	2.05	1.38	3.96	2.81






不锈钢花兰 Stainless Steel Turnbuckles

美式开体花兰-眼叉型 AISI304/316

Stainless Steel U.S. Type Turnbuckle Eye&Jaw


ITEM NO	SIZE	L	L1	A	B	E	H
	in	in	in	in	in	in	in
HF0018-A/B1/4EJ	1/4	4	7.58	0.45	0.32	0.78	0.62
HF0018-A/B5/16EJ	5/16	4.5	8.38	0.49	0.43	0.94	0.87
HF0018-A/B3/8EJ	3/8	6	10.7	0.53	0.51	1.12	0.87
HF0018-A/B1/2EJ	1/2	6	11.94	0.67	0.71	1.44	1.06
HF0018-A/B1/2EJ	1/2	9	14.94	0.67	0.71	1.44	1.06
HF0018-A/B1/2EJ	1/2	12	17.94	0.67	0.71	1.44	1.06
HF0018-A/B5/8EJ	5/8	6	13.55	0.81	0.87	1.75	1.31
HF0018-A/B5/8EJ	5/8	9	16.55	0.81	0.87	1.75	1.31
HF0018-A/B5/8EJ	5/8	12	19.55	0.81	0.87	1.75	1.31
HF0018-A/B3/4EJ	3/4	6	15	1.02	0.99	2.09	1.5
HF0018-A/B3/4EJ	3/4	9	18	1.02	0.99	2.09	1.5
HF0018-A/B3/4EJ	3/4	12	21	1.02	0.99	2.09	1.5
HF0018-A/B7/8EJ	7/8	6	16.25	1.18	1.21	2.38	1.75
HF0018-A/B7/8EJ	7/8	12	22.25	1.18	1.21	2.38	1.75
HF0018-A/B01EJ	1	6	18.2	1.3	1.37	3	2.06
HF0018-A/B01EJ	1	12	24.2	1.3	1.37	3	2.06
HF0018-A/B1-1/4EJ	1-1/4	12	26.48	1.83	1.37	3.56	2.81



美式花兰体 AISI304/316


Stainless Steel U.S. Type Turnbuckle Body

ITEM NO	SIZE	L	L1	B	B1	H	H1
	in	in	in	in	in	in	in
HF0019-A/B001/4	1/4	4	4.75	0.5	0.34	0.72	0.17
HF0019-A/B05/16	5/16	4.5	5.44	0.56	0.38	0.81	0.19
HF0019-A/B003/8	3/8	6	7.12	0.62	0.38	0.88	0.19
HF0019-A/B001/2	1/2	6	7.5	0.81	0.5	1.12	0.25
HF0019-A/B001/2	1/2	9	10.5	0.81	0.5	1.12	0.25
HF0019-A/B001/2	1/2	12	13.5	0.81	0.5	1.12	0.25
HF0019-A/B005/8	5/8	6	7.88	1	0.62	1.38	0.31
HF0019-A/B005/8	5/8	9	10.88	1	0.62	1.38	0.31
HF0019-A/B005/8	5/8	12	13.88	1	0.62	1.38	0.31
HF0019-A/B003/4	3/4	6	8.25	1.12	0.75	1.69	0.38
HF0019-A/B003/4	3/4	9	11.25	1.12	0.75	1.69	0.38
HF0019-A/B003/4	3/4	12	14.25	1.12	0.75	1.69	0.38
HF0019-A/B007/8	7/8	6	8.62	1.31	0.88	1.94	0.44
HF0019-A/B007/8	7/8	12	14.62	1.31	0.88	1.94	0.44
HF0019-A/B0001	1	6	9	1.5	1	2.25	0.5
HF0019-A/B0001	1	12	15	1.5	1	2.25	0.5
HF0019-A/B1-1/4	1-1/4	12	15.12	1.88	1.25	2.62	0.56
HF0019-A/B1-1/2	1-1/2	12	15.75	2.25	1.5	3	0.62






不锈钢接线器 Stainless Steel Terminals



摆头接线器 AISI304/316

Stainless Steel Toggle Terminal European Type

ITEM NO	Φ	L1	L2	D1	D2	D3	D	A	H	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0020-A0003	3	75	38	6.35	3.3	7	6	7	15	0.035
HF0020-A0004	4	89	45	7.5	4.3	10	8	10	20	0.061



叉式接线器 AISI316

Stainless Steel Jaw Terminal


ITEM NO	WIRE Φ	L1	L2	A	D	H	B	T1	B1	D1	D2	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0021-A0205	2.5	55	24	6.5	5	10	13	3	10	2.7	5.5	0.0195
HF0021-A0003	3	65	32	7.5	6	10	14	3	10	3.3	6.35	0.02
HF0021-A0004	4	77	40	11	8	11	18.5	3	12	4.3	7.5	0.046
HF0021-A0005	5	88	57	12	9	14	21	4	13.5	5.3	9	0.072
HF0021-A0006	6	106	63	14	12	20	26	5	18.5	6.4	12.6	0.109
HF0021-A0007	7	116	70	15	12	22	26.5	5	20.5	7.4	14.2	0.15
HF0021-A0008	8	145	85	17	16	26	36	6	24.5	8.4	16	0.246
HF0021-A0010	10	150	90	20	19	30	45.5	6	29.5	10.5	18	0.471
HF0021-A0012	12	195	105	23	19	35	45.5	6	29.5	12.6	20	0.595



眼式接线器 AISI316

Stainless Steel Eye Terminal

ITEM NO	WIRE Φ	L1	L2	D2	D1	E	T	WT
	mm	mm	mm	mm	mm	mm	mm	KGS
HF0022-A0003	3	55	36	6.35	6.5	4	14	0.0133
HF0022-A0004	4	65	39	7.5	8.5	5	18	0.021
HF0022-A0005	5	80	50	9	10.5	6	22	0.042
HF0022-A0006	6	94	62	12.6	12.5	8	28	0.09
HF0022-A0007	7	105	68	16	12.5	9	28	0.105
HF0022-A0008	8	124	85	16	14.5	10	32	0.144
HF0022-A0010	10	142	90	18	16.4	11	36	0.245
HF0022-A0012	12	160	105	20	19.3	15	40	0.319







不锈钢接线器 Stainless Steel Terminals

直杆接线器 AISI316

Stainless Steel Threaded Terminal (Left/Right)

ITEM NO	G	WIREΦ	L1	L2	L3	D	NV	WT
		mm	mm	mm	mm	mm	mm	KGS
HF0023-A0402	M4	2	73	38	24	4.8	3	
HF0023-A0502	M5	2	86	40	32	5.5	4	0.014
HF0023-A0603	M6	3	100	48	39	6.35	5	0.019
HF0023-A0604	M6	4	110	48	45	6.35	6	0.024
HF0023-A0804	M8	4	117	57	45	7.5	6	0.037
HF0023-A0805	M8	5	124	57	52	9	7	0.031
HF0023-A1005	M10	5	130	63	52	9	7	0.055
HF0023-A1006	M10	6	145	63	64	12.6	10	0.095
HF0023-A1206	M12	6	162	80	64	12.6	10	0.12
HF0023-A1208	M12	8	180	80	80	16	14	0.13
HF0023-A1407	M14	7	180	90	70	14.2	12	0.17
HF0023-A1608	M16	8	200	100	80	16	14	0.285
HF0023-A1610	M16	10	210	100	90	18	15	0.325
HF0023-A2010	M20	10	230	119	90	18	15	0.455
HF0023-A2012	M20	12	245	120	105	20	17	0.505
HF0023-A2214	M22	14	308	140	140	25	22	0.815
HF0023-A2416	M24	16	363	170	160	28	24	1.235




美式摆头接线器(薄壁) AISI316

Stainless Steel Swage Toggle Terminal U.S. Type

ITEM NO Hand Swage	WIREΦ	L	L1	L2	D	D2	D3	D4	A	B	H	T	WT
	in	in	in	in	in	in	in	in	in	in	in	in	KGS
HF0024-A001/8	1/8"	2.4"	3.2"	1.25"	0.23"	0.218"	0.14"	0.39"	0.4"	0.65"	0.685"	0.08"	0.035
HF0024-A03/16	3/16"	2.6"	3.4"	1.56"	0.23"	0.295"	0.201"	0.39"	0.4"	0.65"	0.685"	0.08"	0.039
HF0024-A001/4	1/4"	2.63"	3.8"	1.8"	0.31"	0.425"	0.265"	0.5"	0.51"	0.83"	0.71"	0.11"	0.048




不锈钢接线器 Stainless Steel Terminals



美式摆头接线器（厚壁） AISI304/316

Stainless Steel Swage Toggle Terminal U.S. Type



ITEM NO	Machine Swage	WIREΦ	L	L1	L2	D	D2	D3	D4	A	B	H	T	WT
		in	in	in	in	in	in	in	in	in	in	in	in	KGS
HF0025-A001/8		1/8"	2.4"	3.2"	1.25"	0.23"	0.25"	0.14"	0.39"	0.4"	0.65"	0.685"	0.08"	0.038
HF0025-A03/16		3/16"	2.6"	3.4"	1.56"	0.23"	0.354"	0.201"	0.39"	0.4"	0.65"	0.685"	0.08"	0.04
HF0025-A001/4		1/4"	2.95"	3.8"	1.8"	0.31"	0.496"	0.265"	0.5"	0.51"	0.83"	0.71"	0.11"	0.107



平面抱紧摆头接线器 AISI304/316

Stainless Steel Hand Swage Deck Toggle U.S. Type

ITEM NO	Hand Swage	WIREΦ	L	L1	L2	L3	B	W	T	H	D2	D3	D4	D5
		in	in	in	in	in	in	in	in	in	in	in	in	in
HF0026-A001/8		1/8"	2.7"	2.93"	1.25"	1.29"	1.87"	0.59"	0.08"	0.71"	0.218"	0.14"	0.39"	0.26"
HF0026-A03/16		3/16"	2.6"	2.85"	1.56"	1.29"	1.87"	0.59"	0.08"	0.71"	0.295"	0.201"	0.39"	0.26"



特殊外丝直杆拉线头 AISI304/316

Stainless Steel Swage Stud With External Thread

ITEM NO	E	L	L1
	mm	mm	mm
HF0027-A0001	30	70	35±0.5





不锈钢接线器 Stainless Steel Terminals

波波头 AISI304/316

Stainless Steel Dome Head Terminal


ITEM NO	WIRE	L1	L2	L3	D2	D3	WT
		mm	mm	mm	mm	mm	mm
HF0028-A0003	3	35	25	32	5.5	8	0.005
HF0028-A0004	4	35	25	32	6.35	10	0.007
HF0028-A0005	5	41	30	47	7.5	11.5	0.010
HF0028-A0006	6	52	40	47	9	14	0.019
HF0028-A0008	8	66	50	60	12.58	18	0.050
HF0028-A0010	10	77	60	70	16	22	0.092



特殊内丝直拉线头（右丝） AISI304/316

Stainless Steel Swage Stud With External Thread


ITEM NO	E	L
	mm	mm
HF0029-A0604R	20	58
HF0029-A0604R	40	78



美式直杆接线器带螺母 (UNC丝) AISI304/316

Stainless Steel Hand Swage Stud , UNC Thread

ITEM NO	WIREΦ	L	L1	L2	NV	D1	D2±0.003"	D3	WT
	in	in	in	in	in	in	in	in	KGS
HF0030-A001/8	1/8"	3.87"	1.875"	1.45"	0.157"	1/4"-UNC	0.218"	0.14"-0.145"	0.018
HF0030-A03/16	3/16"	4.3"	1.93"	1.9"	0.236"	1/4"-UNC	0.295"	0.201"-0.206"	0.025
HF0030-A03/16	3/16"	4.68"	2.31"	1.9"	0.236"	5/16"-UNC	0.295"	0.201"-0.206"	
HF0030-A03/16	3/16"	5.31"	2.75"	2"	0.236"	3/8"-UNC	0.295"	0.201"-0.206"	
HF0030-A001/4	1/4"	5.5"	2.31"	2.52"	0.315"	5/16"-UNC	0.425"	0.265"-0.27"	0.057




特殊叉式接线器 AISI304/316

Stainless Steel SCREW-ON FORK TERMINAL FOR SELF ASSEMBLING

ITEM NO	WIREΦ	D1	D2	D3	L1	L2	A	M	E1	E2	R	T	L3
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
HF0031-A0004	4	6	12	4.5	65	40	7.5	M4	8	10	3	3	13




不锈钢接线器 Stainless Steel Terminals



特殊直杆外丝接线器带4个顶丝 AISI304/316

Stainless Steel Swage Stud Terminal External


ITEM NO	WIREΦ	D1	D2	D3	L1	L2	L3	M	E1	E2	R	H	S
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
HF0032-A0004	4	M6	12±0.1	4.5±0.1	85	40	40	M4	8	10	3	4	8



美式直杆接线器带螺母 (UNC丝) AISI316

Stainless Steel Extra Long Swage

ITEM NO	WIREΦ	D1	D2	D3	L	L1	L2	NV	Width	WT
	in	in	in	in	in	in	in	in	in	KGS
HF0033-A001/8	1/8"	1/4"-UNC	0.215"-0.221	0.14"-0.145"	10"	8"	1.45"	0.157"	8	0.0465
HF0033-A03/16	3/16"	1/4"-UNC	0.292"-0.298	0.201"-0.206	10.37"	8"	1.9"	0.236"	8	0.052




特殊直杆内丝接线器 带3个顶丝

Stainless Steel Swage Stud Terminal UNC

ITEM NO	WIREΦ	D1	D2	L	L1	L2	D3	D4	WT
	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0034-A00061	3+4	M6	12	80	35	40	4.3	5	0.0525
HF0034-A00062	5	M6	12	80	35	40	5.3	5	



不锈钢接线器 Stainless Steel Terminals



特殊直杆内丝接线器 带3个顶丝 AISI316


Stainless Steel Swage Stud Terminal

ITEM NO	WIREΦ	G	D	L1	L2	L3	L4	WT
	mm	mm	mm	mm	mm	mm	mm	KGS
HF0035-A00061	3	M5	11	53	36	8	34	0.037
HF0035-A00062	4	M6	13	58	38	9	37	0.056
HF0035-A00063	5	M6	14	65	45	9	37	
HF0035-A00064	6	M8	16	73	47	12	45	0.106




特殊美式木螺纹直杆接线器 AISI316

Stainless Steel Swage Stud With Wood Thread



ITEM NO	WireΦ	D1	L	L1	L2	D2	D3
	in	in	in	in	in	in	in
HF0036-A001/8	1/8"	0.25"	4"	2"	1.45"	0.215"-0.221"	0.14"-0.145"
HF0036-A03/16	3/16"	0.25"	4.37"	2"	1.9"	0.292"-0.298"	0.201"-0.206"



摆头丝杆带螺母 AISI304/316




Stainless Steel Toggle-Terminal European Type

ITEM NO	D1	L1	L2	D	A	H	H1	T	B	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0037-A0006	M6	77	48	6	7	15	10	3	15	0.0425
HF0037-A0008	M8	94	56	8	10	20	15	3	19	0.072
HF0037-A0010	M10	115	63	9	12	25	18	4	25	0.145
HF0037-A0012	M12	136	80	12	13	30	19	5	29	0.235
HF0037-A0016	M16	184	103	16	17	40	30	6	39	0.458
HF0037-A0020	M20	198	115	19	20	45	30	6	43	




不锈钢接线器 Stainless Steel Terminals



焊接叉式丝杆带螺母 AISI304/316

Stainless Steel Fork Terminal With External Thread


ITEM NO	D1	L1	L2	H	D	A	T	B	WT
	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0038-A0005	M5	65	42	10	5	6.5	3	13	0.02
HF0038-A0006	M6	72	48	10	6	7.5	3	14	0.029
HF0038-A0008	M8	81	56	11	8	11	3	18.5	0.053
HF0038-A0010	M10	96	63	14	9	12	4	21	0.089
HF0038-A0012	M12	122	80	20	12	14	5	26	0.173
HF0038-A0014	M14	127	89	22	12	15	5	26.5	0.219
HF0038-A0016	M16	158	103	26	16	17	6	36	0.384
HF0038-A0020	M20	180	115	30	19	20	6	45.5	0.624



特殊美式平面摆头丝杆 AISI304/316

Stainless Steel Fixed surface mount with "T" toggle

ITEM NO	D	B	B1	B2	H	H1	B3	D1	L	L1	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0039-A001/4	1/4"-UNF	2.04"	1.38"	0.26"	0.09"	0.39"	0.65"	0.25"	1.07"	0.5"	0.021



特殊直杆两头(UNC丝) AISI316

Stainless Steel Hand Swage Stud, UNC Thread

ITEM NO	D1	L	L1	L2	WT
	in	in	in	in	KGS
HF0040-A001/4	1/4"-UNC	4.5"	2"	0.5"	0.021




不锈钢卡头 Stainless Steel Wire Rope Clips

美式模锻卡头 AISI304/316


Stainless Steel US Type Wire Rope Clip

ITEM NO	SIZE	A	B	C	D	E	G	H
		in	in	in	in	in	in	in
HF0041-A/B0001	1/8	3/16	18	11	12	10	20	23
HF0041-A/B0002	3/16	1/4	24	14	15	12	23	29
HF0041-A/B0003	1/4	5/16	26	15	19	16	30	36
HF0041-A/B0004	5/16	3/8	35	19	22	18	33	43
HF0041-A/B0005	3/8	7/16	38	19	25	23	41	49
HF0041-A/B0006	7/16	1/2	47	25	30	26	46	58
HF0041-A/B0007	1/2	1/2	47	25	30	28	48	58
HF0041-A/B0008	9/16	9/16	57	32	33	31	52	63
HF0041-A/B0009	5/8	9/16	60	32	33	34	52	63
HF0041-A/B0010	3/4	5/8	70	36	38	35	57	72
HF0041-A/B0011	7/8	3/4	79	41	44	40	62	80
HF0041-A/B0012	1	3/4	89	46	47	45	66	88
HF0041-A/B0013	1 1/8	3/4	98	51	51	48	71	91
HF0041-A/B0014	1 1/4	7/8	108	54	59	56	80	105
HF0041-A/B0015	1 3/8	7/8	118	59	60	59	80	106
HF0041-A/B0016	1 1/2	7/8	125	60	66	62	87	113
HF0041-A/B0017	1 5/8	1	135	60	70	68	92	121
HF0041-A/B0018	1 3/4	1 1/8	149	70	78	73	95	133
HF0041-A/B0019	2	1 1/4	165	76	84	86	113	148
HF0041-A/B0020	2 1/4	1 1/4	181	84	98	97	114	160
HF0041-A/B0021	2 1/2	1 1/4	197	86	105	108	114	164
HF0041-A/B0022	2 3/4	1 1/4	211	89	111	127	127	171
HF0041-A/B0023	3	1 1/2	233	98	121	133	175	192



美式玛钢卡头 AISI304/316

Stainless Steel US Malleable Type Wire Rope Clip



ITEM NO	SIZE	A	B	C	D	E	F	G	WT
		in	in	in	in	in	in	in	KGS
HF0042-A/B0003	1/8	11	14	14	3/16-24	10.8	22	20	0.016
HF0042-A/B0005	3/16	13.5	15	16	1/4 20	13	26	24	0.03
HF0042-A/B0006	1/4	17	18.5	20	5/16-18	15	32	31.5	0.05
HF0042-A/B0008	5/16	18.3	20	22	5/16-18	16	35	34	0.07
HF0042-A/B0010	3/8	22.5	22	27	3/8-16	22	40.5	41.8	0.106
HF0042-A/B0011	7/16	24	23	30	3/8-16	22	43	42.8	
HF0042-A/B0012	1/2	27	26	35	7/16-14	3.3	49	53.9	0.191
HF0042-A/B0014	9/16	30	26.5	40	1/2-13	27	52.5	54.7	
HF0042-A/B0016	5/8	33	28.5	40	9/16-12	28	57.5	59.2	0.298
HF0042-A/B0020	3/4	34.5	32	42	9/16-12	34	61	68.7	0.34
HF0042-A/B0022	7/8	41	37	46	5/8-11	38	71	78	0.53
HF0042-A/B0025	1	45.5	42	55	5/8-11	43	77.5	87.5	0.68






不锈钢卡头 Stainless Steel Wire Rope Clips

DIN741卡头 AISI304/316


Stainless Steel DIN741 Type Wire Rope Clip

ITEM NO	SIZE	A	B	C	D	E	F	G
		mm						
HF0043 -A/B0003	3	9	10	12	4	10	21	16
HF0043 -A/B0005	4	10	10	12	4	10	22	17
HF0043 -A/B0006	5	11	11	13	5	10	23	19
HF0043 -A/B0008	6	13	12	15	5	11	26	23
HF0043 -A/B0010	8	16	14	19	6	15	30	28
HF0043 -A/B0011	10	19	18	22	8	17	34	34
HF0043 -A/B0013	12	20	19	22	8	18	36	36
HF0043 -A/B0014	14	25	23	30	10	22	44	47
HF0043 -A/B0016	16	29	26	33	12	26	50	51
HF0043 -A/B0019	19	32	29	38	12	30	54	63
HF0043 -A/B0022	22	37	33	44	14	34	61	71



日式卡头 AISI304/316

Stainless Steel JIS Type Wire Rope Clip



ITEM NO	SIZE	A	B	C	D	E	F	G	Φ
		mm	mm	mm	mm	mm	mm	mm	mm
HF0044 -A/B0002	2	19	11	7.5	14	10	13	3.5	2
HF0044 -A/B0003	3	21	11	8	14	10	14	4.5	3
HF0044 -A/B0004	4	24	13	9	19	12.5	18	5.5	4
HF0044 -A/B0005	5	25	15	13	25	13.5	20	6	5
HF0044 -A/B0006	6	32	19	14	27	17	20.5	8	6
HF0044 -A/B0008	8	42	21	18	33	19	26	10	8
HF0044 -A/B0010	10	51	28	22	45	21	33.5	12	10
HF0044 -A/B0012	12	61	35	26	51	23	37	14	12
HF0044 -A/B0016	16	76	44	33	59	33	47	18	16
HF0044 -A/B0022	22	104	58	44	71	44	61	23.5	22




不锈钢卡头 Stainless Steel Wire Rope Clips


单卡头 AISI304/316
Simplex Wire Rope Clip




ITEM NO	SIZE	L	D
	mm	mm	mm
HF0045-A/B0002	2	18	4
HF0045-A/B0003	3	20	4
HF0045-A/B0004	4	21.5	5
HF0045-A/B0005	5	26	6
HF0045-A/B0006	6	30	6
HF0045-A/B0008	8	36	8
HF0045-A/B0010	10	42	10



双卡头 AISI304/316
Duplex Wire Rope Clip




ITEM NO	SIZE	L	D
	mm	mm	mm
HF0046-A/B0002	2	37	4
HF0046-A/B0003	3	40	4
HF0046-A/B0004	4	43	5
HF0046-A/B0005	5	52	6
HF0046-A/B0006	6	60	6
HF0046-A/B0008	8	72	8
HF0046-A/B0010	10	84	10





不锈钢套环 Stainless Steel Thimble



美式G411薄型套环 AISI304/316


Stainless Steel G411 Wire Rope Thimble

ITEM NO	ROPE	A	B	C	D	E	F	G	H
	in	in	in	in	in	in	in	in	in
HF0047-A/B001/8	1/8	1.94	1.31	1.06	0.69	0.25	0.16	0.05	0.13
HF0047-A/B03/16	3/16	1.94	1.31	1.06	0.69	0.31	0.22	0.05	0.13
HF0047-A/B001/4	1/4	1.94	1.31	1.06	0.69	0.38	0.28	0.05	0.13
HF0047-A/B05/16	5/16	2.13	1.50	1.25	0.81	0.44	0.34	0.05	0.13
HF0047-A/B003/8	3/8	2.38	1.63	1.47	0.94	0.53	0.41	0.06	0.16
HF0047-A/B001/2	1/2	2.75	1.88	1.75	1.13	0.69	0.53	0.08	0.19
HF0047-A/B005/8	5/8	3.50	2.25	2.38	1.38	0.91	0.66	0.13	0.34
HF0047-A/B003/4	3/4	3.75	2.50	2.69	1.63	1.08	0.78	0.14	0.34
HF0047-A/B007/8	7/8	5.00	3.50	3.19	1.88	1.27	0.94	0.16	0.44
HF0047-A/B00001	1	6.69	4.25	3.75	2.50	1.39	1.06	0.16	0.41
HF0047-A/B011/8	1-1/8-1-1/4	6.25	4.50	4.31	2.75	1.75	1.31	0.22	0.50

美式G414厚型套环 AISI304/316

Stainless Steel G414-Heavy Thimble

ITEM NO	ROPE	A	B	C	D	E	F	G	H
	in	in	in	in	in	in	in	in	in
HF0048-A/B001/4	1/4	2.19	1.63	1.50	0.88	0.41	0.28	0.06	0.23
HF0048-A/B05/16	5/16	2.50	1.88	1.81	1.06	0.50	0.34	0.08	0.28
HF0048-A/B003/8	3/8	2.88	2.13	2.13	1.13	0.63	0.41	0.11	0.34
HF0048-A/B07/16	7/16	3.25	2.38	2.38	1.25	0.72	0.47	0.13	0.38
HF0048-A/B001/2	1/2	3.63	2.75	2.75	1.50	0.81	0.53	0.14	0.41
HF0048-A/B09/16	9/16	3.63	2.75	2.69	1.50	0.88	0.59	0.14	0.41
HF0048-A/B005/8	5/8	4.25	3.25	3.13	1.75	0.97	0.66	0.16	0.50
HF0048-A/B003/4	3/4	5.00	3.75	3.81	2.00	1.22	0.78	0.22	0.66
HF0048-A/B007/8	7/8	5.50	4.25	4.25	2.25	1.38	0.94	0.22	0.75
HF0048-A/B00001	1	6.13	4.50	4.94	2.50	1.56	1.06	0.25	0.88
HF0048-A/B011/8	1-1/8-1-1/4	7.00	5.13	5.88	2.88	1.81	1.31	0.25	1.13
HF0048-A/B011/4	1-1/4-1-3/8	9.06	6.50	6.81	3.50	2.19	1.44	0.38	1.13
HF0048-A/B013/8	1-3/8-1-1/2	9.00	6.25	7.13	3.50	2.56	1.56	0.50	1.13
HF0048-A/B015/8	1-5/8	11.25	8.00	8.13	4.00	2.72	1.72	0.50	1.38
HF0048-A/B013/4	1-3/4	12.19	9.00	8.50	4.50	2.84	1.84	0.50	1.31
HF0048-A/B017/8	1-7/8-2	15.13	12.00	10.38	6.00	3.09	2.09	0.50	1.50
HF0048-A/B00002	2-1/4	17.13	14.00	11.88	7.00	3.63	2.38	0.63	1.63






不锈钢套环 Stainless Steel Thimble

欧式套环 AISI304/316

Stainless Steel European Type Wire Rope Thimble


ITEM NO	SIZE	A	B	C	D
		mm	mm	mm	mm
HF0049-A/B0002	2	2	8	14	1
HF0049-A/B0003	3	3	10	16	1
HF0049-A/B0004	4	4	11	19	1
HF0049-A/B0005	5	5.6	13.5	23.5	1
HF0049-A/B0006	6	6.6	15	25	1.25
HF0049-A/B0008	8	9	18	32	1.5
HF0049-A/B0010	10	11	23	37	1.5
HF0049-A/B0012	12	14	27	44	2
HF0049-A/B0014	14	15	34	55	2.5
HF0049-A/B0016	16	17	35	63	2.5
HF0049-A/B0018	18	19	40	69	3
HF0049-A/B0020	20	22	46	76.5	4






不锈钢卸扣 Stainless Steel Shackle

美式D型保险卸扣 G2150 AISI304/316
Stainless Steel US Type Security Dee Shackle G2150



ITEM NO	SIZE	D	D1	A	B
	mm	mm	mm	mm	mm
HF0059-A/B03-16	3/16	5	6	18	9.6
HF0059-A/B01-4	1/4	6	8	22.5	12
HF0059-A/B05-16	5/16	8	10	26	13.5
HF0059-A/B03-8	3/8	10	12	32	16.8
HF0059-A/B07-16	7/16	11	12.7	36.5	19
HF0059-A/B01-2	1/2	12	14	41.5	20.5
HF0059-A/B01-2	1/2	12.7	16	41.5	20.5
HF0059-A/B09-16	9/16	14	16	46	24
HF0059-A/B05-8	5/8	16	18	51	27
HF0059-A/B05-8	5/8	16	19	51	27
HF0059-A/B03-4	3/4	19	22	60	32
HF0059-A/B07-8	7/8	22	25	71	36.5
HF0059-A/B0100	1"	25	28	81	43
HF0059-A/B011-8	1-1/8	28	32	92	46
HF0059-A/B011-4	1-1/4	32	35	101	52
HF0059-A/B011-2	1-1/2	38	42	124	61

美式弓型保险卸扣 G2130 AISI304/316
Stainless Steel US Type Security Bow Shackle G2130



ITEM NO	SIZE	D	D1	A	B	F
	mm	mm	mm	mm	mm	mm
HF0060-A/B03-16	3/16	5	6	22.5	9.6	15.3
HF0060-A/B01-4	1/4	6	8	28.5	12	19.8
HF0060-A/B05-16	5/16	8	10	31	13.5	21.5
HF0060-A/B03-8	3/8	10	12	36.5	16.8	26.2
HF0060-A/B07-16	7/16	11	12.7	43	19	29.5
HF0060-A/B01-2	1/2	12	14	48	20.5	33
HF0060-A/B01-2	1/2	12.7	16	48	20.5	33
HF0060-A/B09-16	9/16	14	16	54	24	38
HF0060-A/B05-8	5/8	16	18	60	27	43
HF0060-A/B05-8	5/8	16	19	60	27	43
HF0060-A/B03-4	3/4	19	22	71.5	32	51
HF0060-A/B07-8	7/8	22	25	84	36.5	58
HF0060-A/B01	1"	25	28	95	43	68
HF0060-A/B011-8	1-1/8	28	32	108	46	73
HF0060-A/B011-4	1-1/4	32	35	119	52	82
HF0060-A/B011-2	1-1/2	38	42	146	61	98




不锈钢环类 Stainless Steel Rings

圆环 AISI304/316


Stainless Steel. Round Ring

ITEM NO	A	L	WT	ITEM NO	A	L	WT
	mm	mm	KGS		mm	mm	KGS
HF0064-A/B0315	3	15	0.003	HF0064-A/B0535	5	35	0.0189
HF0064-A/B0320	3	20	0.0038	HF0064-A/B0540	5	40	0.022
HF0064-A/B0325	3	25	0.0048	HF0064-A/B0545	5	45	0.0237
HF0064-A/B0330	3	30	0.005	HF0064-A/B0550	5	50	0.025
HF0064-A/B0420	4	20	0.0074	HF0064-A/B0625	6	25	0.02
HF0064-A/B0425	4	25	0.0089	HF0064-A/B0630	6	30	0.0244
HF0064-A/B0430	4	30	0.0102	HF0064-A/B0635	6	35	0.0279
HF0064-A/B0435	4	35	0.012	HF0064-A/B0640	6	40	0.031
HF0064-A/B0440	4	40	0.013	HF0064-A/B0645	6	45	0.035
HF0064-A/B0525	5	25	0.0146	HF0064-A/B0650	6	50	0.0384
HF0064-A/B0530	5	30	0.016	HF0064-A/B0655	6	55	0.042
ITEM NO	A	L	WT	ITEM NO	A	L	WT
	mm	mm	KGS		mm	mm	KGS
HF0064-A/B0660	6	60	0.045	HF0064-A/B1080	10	80	0.180
HF0064-A/B0840	8	40	0.0587	HF0064-A/B10100	10	100	0.212
HF0064-A/B0845	8	45	0.069	HF0064-A/B1260	12	60	0.193
HF0064-A/B0850	8	50	0.077	HF0064-A/B1270	12	70	0.217
HF0064-A/B0855	8	55	0.0814	HF0064-A/B1280	12	80	0.260
HF0064-A/B0860	8	60	0.0814	HF0064-A/B12100	12	100	0.308
HF0064-A/B0870	8	70	0.097	HF0064-A/B1475	14	75	0.331
HF0064-A/B0880	8	80	0.106	HF0064-A/B1490	14	90	0.411
HF0064-A/B1050	10	50	0.108	HF0064-A/B1975	19	75	0.663
HF0064-A/B1060	10	60	0.136	HF0064-A/B1990	19	90	0.772
HF0064-A/B1070	10	70	0.151				



D型环 AISI304/316

Stainless Steel. D Ring



ITEM NO	A	L1	L2	WT	ITEM NO	A	L1	L2	WT
	mm	mm	mm	mm		mm	mm	mm	mm
HF0065-A/B0315	3	15	12	0.003	HF0065-A/B0530	5	30	27	0.016
HF0065-A/B0320	3	20	17	0.0039	HF0065-A/B0540	5	40	37	0.02
HF0065-A/B0330	3	30	27	0.005	HF0065-A/B0550	5	50	47	0.026
HF0065-A/B0420	4	20	17	0.007	HF0065-A/B0630	6	30	27	0.025
HF0065-A/B0425	4	25	22	0.009	HF0065-A/B0640	6	40	37	0.032
HF0065-A/B0430	4	30	27	0.011	HF0065-A/B0650	6	50	47	0.041
HF0065-A/B0440	4	40	37	0.014	HF0065-A/B0850	8	50	47	0.074
HF0065-A/B0525	5	25	22	0.0147	HF0065-A/B0860	8	60	57	0.09



不锈钢环类 Stainless Steel Rings

三角环 AISI304/316

Stainless Steel Triangle Ring


ITEM NO	A	L1	WT	ITEM NO	A	L1	WT
	mm	mm	mm		mm	mm	mm
HF0066-A/B0320	3	20	0.038	HF0066-A/B0550	5	50	0.02
HF0066-A/B0330	3	30	0.05	HF0066-A/B0640	6	40	0.028
HF0066-A/B0425	4	25	0.08	HF0066-A/B0645	6	45	0.033
HF0066-A/B0525	5	25	0.013	HF0066-A/B0650	6	50	0.037
HF0066-A/B0530	5	30	0.016	HF0066-A/B0845	8	45	0.06
HF0066-A/B0545	5	45	0.02	HF0066-A/B0850	8	50	0.068



转环-OC型 AISI304/316

Stainless Steel Swivel, Eye&Jaw


ITEM NO	d	L	H	B	A	WT
	mm	mm	mm	mm	mm	KGS
HF0067-A/B0005	5	60	11.5	13	10	0.039
HF0067-A/B0006	6	66	12	15	12	0.054
HF0067-A/B0008	8	92	16	20	16	0.133
HF0067-A/B0010	10	118	22	24	20	0.253
HF0067-A/B0013	13	152	28	32	26	0.615
HF0067-A/B0016	16	188	37	39	32	1.03
HF0067-A/B0019	19	229	44	41	38	2.07



转环-CC型 AISI304/316

Stainless Steel Swivel, Jaw&Jaw


ITEM NO	D	L	H	A	WLL	WT
	mm	mm	mm	mm	mm	tons
HF0068-A/B0005	5	60	11.5	10	0.1	0.041
HF0068-A/B0006	6	66	12	12	0.15	0.058
HF0068-A/B0008	8	94	16	16	0.3	0.145
HF0068-A/B0010	10	118	22	20	0.5	0.275
HF0068-A/B0013	13	152	28	26	1	0.684
HF0068-A/B0016	16	188	37	32	1.5	1.12
HF0068-A/B0019	19	229	44	38	2	2.21



转环-OO型 AISI304/316


Stainless Steel Swivel, Eye&Eye

ITEM NO	D	L	H	B	WT
	mm	mm	mm	mm	KGS
HF0069-A/B0004	4	47	9	11.5	0.019
HF0069-A/B0005	5	61	15	13.5	0.03
HF0069-A/B0006	6	63.5	15	1	0.05
HF0069-A/B0008	8	88	21	20	0.114
HF0069-A/B0010	10	111	27	24	0.223
HF0069-A/B0012	12	126	26	25	0.353
HF0069-A/B0013	13	147	35	31	0.446
HF0069-A/B0016	16	186	45	38	0.977
HF0069-A/B0019	19	225	54	40	1.48





不锈钢固定扣 Stainess Steel Eye Plates




椭圆形固定扣 AISI304/316



Stainless Steel Oblong Pad Eye

ITEM NO	D	B1	B2	H	h	A	d	w	WT
	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0070-A/B0001	5	45	31	20	12	15	4.5	10	0.019
HF0070-A/B0002	6	60	43	26	17	20	4.5	17	0.035
HF0070-A/B0003	8	80	56	32	21	26	6.2	21	0.067
HF0070-A/B0004	9	100	70	39	27	36	6.2	26	0.109




菱形固定扣 AISI304/316



Stainless Steel Diamond Pad Eye

ITEM NO	D	A	B	H	h	w	d	WT
	mm	mm	mm	mm	mm	mm	mm	KGS
HF0071-A/B0001	5	36	60	23	15	16	4.5	0.031
HF0071-A/B0002	6	40	65	26	17	17	4.5	0.043
HF0071-A/B0003	8	50	80	32	21	21	6.2	0.077
HF0071-A/B0004	10	60	100	36	26	26	6.2	0.136
HF0071-A/B0005	12	80	120	50	38	32	6.5	0.251



方形固定扣 AISI304/316




Stainless Steel Square Eye Plate

ITEM NO	D	A	B	H	h	w	d	WT
	mm	KGS						
HF0072-A/B0001	5	30	35	20	12	13	4.5	0.025
HF0072-A/B0002	6	35	40	26	17	17	4.5	0.041
HF0072-A/B0003	8	40	50	32	21	21	6.2	0.068
HF0072-A/B0004	10	48	60	39	26	26	6.2	0.11



不锈钢固定扣 Stainless Steel Eye Plates

圆形固定扣 AISI304/316




Stainless Steel. Round Eye Plate

ITEM NO	D	A1	A2	H	h	A	WT
	mm	mm	mm	mm	mm	mm	KGS
HF0073-A/B0001	5	33	18	20	12	13	0.023
HF0073-A/B0002	6	40	23	26	17	17	0.038
HF0073-A/B0003	8	50	29	32	21	21	0.067

圆形固定扣带丝 AISI304/316


Stainless Steel. Round Eye Plate With Thread Stud

ITEM NO	D1	D	A	L	WT
	mm	mm	mm	mm	KGS
HF0074-A/B0001-R	M6	6	33	20	0.028
HF0074-A/B0002-R	M8	8	40	23	0.047
HF0074-A/B0003-R	M10	10	50	25	0.082




圆形固定扣带圆环 AISI304/316

Stainless Steel. Round Eye Plate With Ring



ITEM NO	D	A1	A2	H	h	A	D1	L	WT
	mm	KGS							
HF0075-A/B0001	5	33	18	20	12	13	5	30	0.039
HF0075-A/B0002	6	40	23	26	17	17	6	35	0.066
HF0075-A/B0003	8	50	29	32	21	21	8	45	0.136




菱形固定扣带圆环 AISI304/316

Stainless Steel. Diamond Pad Eye With Ring

ITEM NO	D	A	B	H	H1	w	d	A1	L	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0076-A/B0001	5	30	36	20	3	16	4.5	5	30	0.047
HF0076-A/B0002	6	35	40	26	3	17	4.5	6	35	0.071
HF0076-A/B0003	8	45	50	32	3	21	6.2	8	45	0.146
HF0076-A/B0004	10	60	100	36	4	26	6.2	10	50	0.244
HF0076-A/B0005	12	80	120	50	4	32	6.5	12	60	0.444




不锈钢固定扣 Stainess Steel Eye Plates



椭圆形固定扣带圆环 AISI304/316

Stainless Steel. Oblong Pad Eye With Ring


ITEM NO	D	B1	B2	H	h	A	d	W	A1	L	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0077-A/B0001	5	45	31	20	12	15	4.5	10	5	30	0.035
HF0077-A/B0002	6	60	43	26	17	20	4.5	17	6	35	0.063
HF0077-A/B0003	8	80	56	32	21	26	6.2	21	8	45	0.136
HF0077-A/B0004	9	100	70	39	27	36	6.2	26	10	50	0.217



方形固定扣带圆环 AISI304/316

Stainless Steel. Square Eye With Ring

ITEM NO	D	A	B	H	h	w	d	A1	L	WT
	mm	mm	mm	KGS						
HF0078-A/B0001	5	30	35	20	12	13	4.5	5	30	0.041
HF0078-A/B0002	6	35	40	26	17	17	4.5	6	35	0.069
HF0078-A/B0003	8	40	50	32	21	21	6.2	8	45	0.137
HF0078-A/B0004	10	48	60	39	26	26	6.2	10	50	0.218



方扣可旋转 AISI304/316

Stainless Steel. Square Eye Plate With Swivel Ring,

ITEM NO	D	A	Φ	H	WT
	mm	mm	mm	mm	KGS
HF0079-A/B0001	5	35	15	3	0.035
HF0079-A/B0002	6	40	18	3	0.077
HF0079-A/B0003	8	50	19	3	0.148




不锈钢吊环&吊母 Stainless Steel Eye Bolts & Eye Nuts

DIN580螺栓 AISI304/316

Stainless Steel.Eye Bolt DIN 580

ITEM NO	A	B	C	D	E	F	H	WT
	mm	mm	mm	mm	mm	mm	mm	KGS
HF0080-A/B0006	6	16	27	16	6	13	25	0.022
HF0080-A/B0008	8	19	35	20	6	15	30	0.045
HF0080-A/B0010	10	25	45	25	8	17	37	0.091
HF0080-A/B0012	12	29	52	30	10	22	43	0.147
HF0080-A/B0016	16	33	63	35	12	27	50	0.278
HF0080-A/B0020	20	38	69	40	14	28	57	0.341
HF0080-A/B0024	24	46	87	50	18	38	72	0.689
HF0080-A/B0027	27	65	108	60	22	45	87	1.1
HF0080-A/B0030	30	59	106	60	22	45	87	1.349
HF0080-A/B0036	36	73	124	70	26	52	102	2.279



DIN582螺母 AISI304/316

Stainless Steel.Eye-Nut DIN 582


ITEM NO	SIZE	A	B	M	D	E	H	WT
		mm	mm	mm	mm	mm	mm	KGS
HF0081-A/B0006	M6	5.5	16.5	6	16.5	8	28	0.019
HF0081-A/B0008	M8	7.5	20	8	20	9.5	35.5	0.039
HF0081-A/B0010	M10	9	24	10	25	10	41.5	0.069
HF0081-A/B0012	M12	11	29	12	30	12	50.5	0.122
HF0081-A/B0016	M16	13.5	33	16	35	15	60.5	0.192
HF0081-A/B0020	M20	15	39	20	40	16	70	0.295
HF0081-A/B0024	M24	19	48	24	50	20.5	85.5	0.569



JIS1169螺母 AISI304/316

Stainless Steel.Eye Nut JIS 1169

ITEM NO	A	C	D	H	L	B	b	WT
	mm	mm	mm	mm	mm	mm	mm	KGS
HF0082-A/B0006	26	5	M6	33	13	12	16	0.015
HF0082-A/B0008	32	6	M8	39	13.5	14.5	20	0.025
HF0082-A/B0010	40	7.5	M10	48	16.5	19	25	0.056
HF0082-A/B0012	49	9.5	M12	60	21.5	22.5	30	0.102
HF0082-A/B0016	57.5	12	M16	70	26	28	34	0.184
HF0082-A/B0020	70	15	M20	81.5	30	35.5	40	0.36






不锈钢吊环&吊母 Stainless Steel Eye Bolts & Eye Nuts

JIS1168螺栓 AISI304/316

Stainless Steel Eye Bolt JIS 1168


ITEM NO	SIZE	A	B	C	D	H	L	WT
		mm	mm	mm	mm	mm	mm	KGS
HF0083-A/B0006	M6	25	15	4.5	6	28	13	0.014
HF0083-A/B0008	M8	31.5	20	6	8	34	14.5	0.025
HF0083-A/B0010	M10	39.5	25	7	10	41	18	0.051
HF0083-A/B0012	M12	49	30	9	12	51	22	0.093
HF0083-A/B0016	M16	58	34	12	16	59	26	0.165
HF0083-A/B0020	M20	70	39	16	20	71	30	0.28
HF0083-A/B0022	M22	79	44.5	17.5	22	81	34	0.469



吊环木螺丝 AISI304/316

Stainless Steel Lag Eye Bolt


ITEM NO	Φ	L	L1	A	WT
		mm	mm	mm	mm
HF0084-A/B0005	5	30	25	10	0.007
HF0084-A/B00061	6	80	70	13	0.019
HF0084-A/B00062	6	110	100	13	0.023
HF0084-A/B00081	8	90	76	16	0.046
HF0084-A/B00082	8	130	100	16	0.057
HF0084-A/B0010	10	90	75	20	0.068
HF0084-A/B00121	12	120	100	25	0.16
HF0084-A/B00122	12	165	150	25	0.19



眼式木螺丝 AISI316

Stainless Steel Wooden Threaded Eye Screw

ITEM NO	SIZE	Φ	A	B	C	D	L
		mm	mm	mm	mm	mm	mm
HF0085-A/B0640	M6*40	5.6-6	6.3	7	30	6	40
HF0085-A/B0650	M6*50	5.6-6	6.3	7	35	6	50
HF0085-A/B0655	M6*55	5.6-6	6.3	7	40	6	55
HF0085-A/B0660	M6*60	5.6-6	6.3	7	40	6	60
HF0085-A/B0860	M8*60	7.6-8	8.4	9	40	8	60
HF0085-A/B0875	M8*75	7.6-8	8.4	9	50	8	75
HF0085-A/B0880	M8*80	7.6-8	8.4	9	55	8	80
HF0085-A/B8100	M8*100	7.6-8	8.4	9	65	8	100
HF0085-A/B1075	M10*75	9.6-10	10.2	11	50	10	75
HF0085-A/B1080	M10*80	9.6-10	10.2	11	55	10	80
HF0085-A/B1085	M10*85	9.6-10	10.2	11	60	10	85
HF0085-A/B10100	M10*100	9.6-10	10.2	11	65	10	100
HF0085-A/B10120	M10*120	9.6-10	10.2	11	80	10	120
HF0085-A/B12100	M12*100	11.6-12	12.1	13	65	12	100
HF0085-A/B12120	M12*120	11.6-12	12.1	13	80	12	120






不锈钢吊环&吊母 Stainless Steel Eye Bolts & Eye Nuts

焊接吊环带圆环 AISI304/316

Stainless Steel Eye Bolt With Ring


ITEM NO	Φ	A	B	C	D	SWL	BL
	mm	mm	mm	mm	KGS	KGS	
HF0086-A/B0540	5	30	40	60	M5	200	800
HF0086-A/B0650	6	35	50	75	M6	250	1000
HF0086-A/B0660	6	35	60	90	M6	250	1000
HF0086-A/B0850	8	45	50	85	M8	450	1800
HF0086-A/B0860	8	45	60	100	M8	450	1800
HF0086-A/B1050	9	50	50	100	M10	600	2400
HF0086-A/B1075	9	50	75	120	M10	600	2400
HF0086-A/B1270	12	60	70	120	M12	1000	4000
HF0086-A/B12100	12	60	100	150	M12	1000	4000
HF0086-A/B12101	12	60	120	180	M12	1000	4000



1169头吊环 AISI304/316

Stainless Steel Eye Bolt (Any Length of Screw Available)


ITEM NO	SIZE	A	B	C	SWL	BL
		mm	mm	mm	KGS	KGS
HF0087-A/B0650	M6*50	16	50	M6	275	1100
HF0087-A/B0850	M8*50	20	50	M8	450	1800
HF0087-A/B1050	M10*50	25	50	M10	650	2600
HF0087-A/B1250	M12*50	30	50	M12	850	3400
HF0087-A/B1650	M16*50	35	50	M16	2000	8000



焊接吊环 AISI304/316

Stainless Steel Eye Bolt With Nut and Washer

ITEM NO	SIZE	A	B	C	D	SWL	BL
		mm	mm	mm	mm	mm	KGS
HF0088-A/B0660	M6*60	M6	13	35	60	250	1000
HF0088-A/B0680	M6*80	M6	13	35	80	250	1000
HF0088-A/B0690	M6*90	M6	13	35	90	250	1000
HF0088-A/B06100	M6*100	M6	13	35	100	250	1000
HF0088-A/B0860	M8*60	M8	16	45	60	450	1800
HF0088-A/B0880	M8*80	M8	16	45	80	450	1800
HF0088-A/B08100	M8*100	M8	16	45	100	450	1800
HF0088-A/B08110	M8*110	M8	16	45	110	450	1800
HF0088-A/B08130	M8*130	M8	16	45	130	450	1800
HF0088-A/B1080	M10*80	M10	23	50	80	600	2400
HF0088-A/B10100	M10*100	M10	23	50	100	600	2400
HF0088-A/B10130	M10*130	M10	23	50	130	600	2400
HF0088-A/B10150	M10*150	M10	23	50	150	600	2400
HF0088-A/B10200	M10*200	M10	23	50	200	600	2400
HF0088-A/B12100	M12*100	M12	25	60	100	875	3500
HF0088-A/B12150	M12*150	M12	25	60	150	875	3500
HF0088-A/B12165	M12*165	M12	25	60	165	875	3500
HF0088-A/B12185	M12*185	M12	25	60	185	875	3500
HF0088-A/B12200	M12*200	M12	25	60	200	875	3500






不锈钢吊环&吊母 Stainless Steel Eye Bolts & Eye Nuts

活节螺栓 AISI304/316

Stainless Steel Swivel Bolt


ITEM NO	SIZE	M	A	B	C	D	E
		mm	mm	mm	mm	mm	mm
HF0089-A/B0860	M8*60	8	60	8.3	51	16	8
HF0089-A/B1050	M10*50	10	50	10.4	40	20	10
HF0089-A/B1060	M10*60	10	60	10.4	50	20	10
HF0089-A/B1070	M10*70	10	70	10.4	60	20	10
HF0089-A/B1080	M10*80	10	80	10.4	70	20	10
HF0089-A/B1090	M10*90	10	90	10.4	80	20	10
HF0089-A/B1260	M12*60	12	60	12.4	48	24	12
HF0089-A/B1280	M12*80	12	80	12.3	68	24	12
HF0089-A/B12100	M12*100	12	100	12.3	88	24	12
HF0089-A/B12120	M12*120	12	120	12.3	108	24	12
HF0089-A/B12150	M12*150	12	150	12.3	138	24	12
HF0089-A/B1680	M16*80	16	80	16.3	65	32	16
HF0089-A/B16100	M16*100	16	100	16.3	85	32	16
HF0089-A/B16120	M16*120	16	120	16.3	105	32	16
HF0089-A/B16150	M16*150	16	150	16.3	135	32	16
HF0089-A/B2080	M20*80	20	80	20.3	60	40	20
HF0089-A/B20100	M20*100	20	100	20.3	80	40	20
HF0089-A/B20120	M20*120	20	120	20.3	100	40	20
HF0089-A/B20150	M20*150	20	150	20.3	130	40	20
HF0089-A/B2280	M22*80	22	80	22.5	57	44	22
HF0089-A/B22100	M22*100	22	100	22.5	77	44	22
HF0089-A/B22120	M22*120	22	120	22.5	97	44	22
HF0089-A/B22150	M22*150	22	150	22.5	127	44	22
HF0089-A/B24100	M24*100	24	100	24.5	75	48	24
HF0089-A/B24120	M24*120	24	120	24.5	95	48	24



带肩吊环 AISI304/316

Stainless Steel Shoulder Eye Bolt

ITEM NO	SIZE	A	B	C
		mm	mm	mm
HF0090-A/B0660	M6*60	6	13	60
HF0090-A/B0880	M8*80	8	15	80
HF0090-A/B1080	M10*80	10	20	100







不锈钢吊环&吊母 Stainless Steel Eye Bolts & Eye Nuts

G279吊环螺丝 UNC美制丝 AISI304/316

Stainless Steel Eye Bolt G279

ITEM NO	SIZE	A	B	C	D	E	G
		in	in	in	in	in	in
HF0091-A/B001	1/4*1	0.25	1	0.88	0.5	1.94	0.47
HF0091-A/B002	5/16*1-1/8	0.31	1.13	1.12	0.62	2.38	0.56
HF0091-A/B003	3/8*1-1/4	0.38	1.25	1.38	0.75	2.72	0.66
HF0091-A/B004	1/2*1-1/2	0.5	1.5	1.75	1	3.38	0.91
HF0091-A/B005	5/8*1-3/4	0.63	1.75	2.25	1.25	4.19	1.12
HF0091-A/B006	3/4*2	0.75	2	2.75	1.5	4.94	1.38
HF0091-A/B007	7/8*2-1/4	0.88	2.25	3.25	1.75	5.72	1.56
HF0091-A/B008	1*2-1/2	1	2.5	3.75	2	6.47	1.81
HF0091-A/B009	1-1/4*3	1.25	3	4.5	2.5	7.72	2.28
HF0091-A/B010	1-1/2*3-1/2	1.5	3.5	5.5	3	9.25	2.75



G277吊环螺丝带垫片与螺母 UNC美制丝 AISI304/316

Stainless Steel Eye Bolt With Nut and Washer G277




ITEM NO	SIZE	A	B	C	D	E	F	G	H
		in	in	in	in	in	in	in	in
HF0092-A/B0001	1/4*2	0.25	0.5	0.88	0.19	1.5	2	2.94	0.5
HF0092-A/B0002	1/4*4	0.25	0.5	0.88	0.19	2.5	4	4.94	0.5
HF0092-A/B0003	5/16*2-1/4	0.31	0.62	1.12	0.25	1.5	2.25	3.5	0.69
HF0092-A/B0004	5/16*4-1/4	0.31	0.62	1.12	0.25	2.5	4.25	5.5	0.69
HF0092-A/B0005	3/8*2-1/2	0.38	0.75	1.38	0.31	1.5	2.5	3.97	0.78
HF0092-A/B0006	3/8*4-1/2	0.38	0.75	1.38	0.31	2.5	4.5	5.97	0.78
HF0092-A/B0007	1/2*3-1/4	0.5	1	1.75	0.38	1.5	3.25	5.12	1
HF0092-A/B0008	1/2*6	0.5	1	1.75	0.38	3	6	7.88	1
HF0092-A/B0009	5/8*4	0.62	1.25	2.25	0.5	2	4	6.44	1.31
HF0092-A/B0010	5/8*6	0.62	1.25	2.25	0.5	3	6	8.44	1.31
HF0092-A/B0011	3/4*4-1/2	0.75	1.5	2.75	0.62	2	4.5	7.44	1.56
HF0092-A/B0012	3/4*6	0.75	1.5	2.75	0.62	3	6	8.94	1.56
HF0092-A/B0013	7/8*5	0.88	1.75	3.25	0.75	2.5	5	8.46	1.84
HF0092-A/B0014	1*6	1	2	3.75	0.88	3	6	9.97	2.09
HF0092-A/B0015	1*9	1	2	3.75	0.88	4	9	12.97	2.09
HF0092-A/B0016	1-1/4*8	1.25	2.5	4.5	1	4	8	12.72	2.47
HF0092-A/B0017	1-1/4*12	1.25	2.5	4.5	1	4	12	16.72	2.47
HF0092-A/B0018	1-1/4*15	1.5	3	5.5	1.25	6	15	20.75	3




不锈钢钩 Stainless Steel Hooks

弹簧钩5299B AISI304/316
Stainless Steel Snap Hook DIN5299 Form B




ITEM NO	SIZE	A	B	C	F	W.L.L
		mm	mm	mm	mm	LBS
HF0097-A/B005	5×50	5	25	50	7	100
HF0097-A/B006	6×60	6	30	60	8	140
HF0097-A/B007	7×70	7	35	70	8	200
HF0097-A/B008	8×80	8	40	80	9	250
HF0097-A/B009	9×90	9	45	90	10	280
HF0097-A/B010	10×100	10	50	100	11	400
HF0097-A/B011	11×120	11	57	120	16	500
HF0097-A/B012	12×140	12	67	140	19	600

椭圆型弹簧钩 AISI304/316
Stainless Steel Snap Hook Straight Type




ITEM NO	SIZE	A	B	C	F	W.L.L
		mm	mm	mm	mm	LBS
HF0098-A/B005	5×50	5	25	50	9	100
HF0098-A/B006	6×60	6	30	60	11	140
HF0098-A/B008	8×80	8	40	80	13	250
HF0098-A/B010	10×100	10	50	100	16	400
HF0098-A/B011	11×120	11	58	120	21	500

保险带圈型弹簧钩 AISI304/316
Stainless Steel Safety Snap Hook With Screw



ITEM NO	SIZE	A	B	C	F
		mm	mm	mm	mm
HF0099-A/B001	10	10	55	105	17

不对称型弹簧钩 AISI304/316
Stainless Steel Asymmetric Type




ITEM NO	SIZE	ΦA	C	D	F	WLL
		mm	mm	mm	mm	LBS
HFO100-A/B005	5X50	5	50	8	9	100
HFO100-A/B006	6X60	6	60	9	10	140
HFO100-A/B008	8X80	8	80	12	13	250
HFO100-A/B010	10X100	10	100	15	18	400
HFO100-A/B011	11X120	11	120	15	24	500




不锈钢钩 Stainless Steel Hooks

不对称带圈型弹簧钩 AISI304/316
Stainless Steel Snap Asymmetric Type With Eyelet




ITEM NO	SIZE mm	\varnothing A	C	D	F	W.LL LBS
		mm	mm	mm	mm	
HF0101-A/B005	5×50	5	50	5	9	100
HF0101-A/B006	6×60	6	60	5	10	140
HF0101-A/B008	8×80	8	80	10	13	250
HF0101-A/B010	10×100	10	100	13	18	400
HF0101-A/B011	11×120	11	120	13	24	500

不对称保险型弹簧钩 AISI304/316
Stainless Steel Snap Asymmetric Type With Screw




ITEM NO	SIZE mm	\varnothing A	C	F	W.LL LBS
		mm	mm	mm	
HF0102-A/B005	5×50	5	50	9	100
HF0102-A/B006	6×60	6	60	10	140
HF0102-A/B008	8×80	8	80	13	250
HF0102-A/B010	10×100	10	100	18	400
HF0102-A/B011	11×120	11	120	24	500

不对称带圈保险型弹簧钩 AISI304/316
Stainless Steel Snap Asymmetric Type With Eyelet&Screw



ITEM NO	SIZE mm	\varnothing A	C	D	F	W.LL LBS
		mm	mm	mm	mm	
HF0103-A/B005	5×50	5	50	5	9	100
HF0103-A/B006	6×60	6	60	5	10	140
HF0103-A/B008	8×80	8	80	10	13	250
HF0103-A/B010	10×100	10	100	13	18	400
HF0103-A/B011	11×120	11	120	13	24	500

简易弹簧钩 AISI304/316
Stainless Steel Delta Spring Snap




ITEM NO	SIZE mm	D	L	A	E
		mm	mm	mm	mm
HF0104-A/B005	5×50	5	50	7	10
HF0104-A/B006	6×60	6	60	10	10
HF0104-A/B008	8×80	8	80	12	16
HF0104-A/B010	10×100	10	100	16	19
HF0104-A/B012	12×120	12	120	19	25
HF0104-A/B014	14×140	14	140	22	32
HF0104-A/B016	16×160	16	160	22	40



不锈钢钩 Stainless Steel Hooks

简易弹簧钩 AISI304/316


Stainless Steel Snap Hook Simple Type



ITEM NO	SIZE mm	\varnothing A	C
		mm	mm
HF0105-A/B006	6×60	6	60
HF0105-A/B008	8×80	8	80

不锈钢弹簧钩 AISI304/316


Stainless Steel Welded Spring Snap



ITEM NO	SIZE mm	\varnothing A	C
		mm	mm
HF0106-A/B006	6×60	6	60
HF0106-A/B008	8×80	8	80

带挡弹簧钩 AISI304/316


Stainless Steel Snap Hook With Eyelet&Spring Pin



ITEM NO	SIZE mm	\varnothing A	B	C	D	F
		mm	mm	mm	mm	mm
HF0107-A/B006	6×60	6	30	60	6	8
HF0107-A/B007	7×70	7	35	70	7	8
HF0107-A/B008	8×80	8	40	80	10	9
HF0107-A/B010	10×100	10	50	100	13	11

弹簧钩 AISI304/316

Stainless Steel Snap Hook



ITEM NO	SIZE mm	\varnothing A	L	F
		mm	mm	mm
HF0108-A/B005	5	5	50	7
HF0108-A/B006	6	6	60	8




不锈钢钩 Stainless Steel Hooks

单头钩 AISI304/316


Stainless Steel Swivel Eye Bolt Snap

ITEM NO	SIZE	L	C	D	A	E	WT
		mm	mm	mm	mm	mm	KGS
HF0113-A/B0308	3/8	64	9	3	12	7	0.023
HF0113-A/B0102	1/2	70	9	4	14	9	0.028
HF0113-A/B0508	5/8	80	11	4.5	17	11	0.043
HF0113-A/B0304	3/4	90	12	4.5	20	12	0.050
HF0113-A/B0001	1"	105	14	5.5	26	13	0.076



双头钩 AISI304/316


Stainless Steel Double End Swivel Eye Bolt Snap



ITEM NO	SIZE	L	C	WT
		mm	mm	KGS
HF0114-A/B0305	L90	90	10	0.063
HF0114-A/B0004	L100	100	11	0.072
HF0114-A/B0005	L117	117	12	0.085

蛋型钩 AISI304/316


Stainless Steel Egg Shaped Snap Hook



ITEM NO	SIZE	L	W	E	D
		mm	mm	mm	mm
HF0115-A/B0305	50	50	24	10	6.5
HF0115-A/B0004	70	70	31	13	10
HF0115-A/B0005	100	100	46	23	13

剪刀钩 AISI304/316

Stainless Steel Trigger Snap Hook




ITEM NO	SIZE	L1	L2	WT
		mm	mm	KGS
HF0116-A/B0305	3/8"	66	14	0.042
HF0116-A/B0004	1/2 "	67	17	0.043
HF0116-A/B0005	3/4"	68	20	0.046





不锈钢钩 Stainless Steel Hooks

鸭头型弹簧钩 AISI304/316
Stainless Steel Pelican Hook



ITEM NO	SIZE	L	L1	A	B
	mm	mm	mm	mm	mm
HF0117-A/B076	76	76	39	13	9
HF0117-A/B100	100	100	48	16	12

定向钩 AISI304/316
Stainless Steel Rigid Eye Snap



ITEM NO	SIZE	Ø	A	B	C	D
	mm	mm	mm	mm	mm	mm
HF0118-A/B000	0#	4	54.5	22.5	11.5	6.5
HF0118-A/B001	1#	5	72.5	29	16	10.5
HF0118-A/B002	2#	5.5	86	34.5	19	12
HF0118-A/B003	3#	7.5	100	41.5	19.5	12.5

万向钩 AISI304/316
Stainless Steel Swivel Eye Snap




ITEM NO	SIZE	A	B	L	WT
	mm	mm	mm	mm	KGS
HF0119-A/B000	0#	7	15	65	0.028
HF0119-A/B001	1#	12	20	87	0.05
HF0119-A/B002	2#	15	23.5	100	0.077
HF0119-A/B003	3#	16	28	117	0.136




不锈钢钩 Stainless Steel Hooks

旋转货钩 AISI304/316
Stainless Steel Swivel Eye Hook



ITEM NO	SIZE		A	B	C	D
	mm	mm				
HF0120-A/B0117	117	117	21.5	22	6.5	21.5
HF0120-A/B0141	141	141	28	28	9	25.5
HF0120-A/B0162	162	162	28	28.5	10	29
HF0120-A/B0202	202	202	36	34.5	12	33.9

大眼货钩 AISI304/316
Stainless Steel Large Eye Hook



ITEM NO	SIZE		A	B	C
	mm	mm			
HF0121-A/B0100	100	100	19	15.7	47.5
HF0121-A/B0120	120	120	28.5	20.5	53





不锈钢钩 Stainless Steel Hooks

对称S钩 AISI304/316


Stainless Steel S-Hook, Symmetric

ITEM NO	d	W	S	L	WT
	mm	mm	mm	mm	KGS
HF0122-A/B0003	3	9	4	30	0.003
HF0122-A/B0004	4	12	6.5	40	0.008
HF0122-A/B0005	5	15	8	50	0.017
HF0122-A/B0006	6	17.5	9	60	0.028
HF0122-A/B0008	8	24	12	80	0.069
HF0122-A/B0010	10	30	13.5	100	0.13



不对称S钩 AISI304/316


Stainless Steel S-Hook, Asymmetric



长臂S钩 AISI304/316

Stainless Steel Long Arm "S" Hook


ITEM NO	D	L	W2	E1	E2
	mm	mm	mm	mm	mm
HF0124-A/B0005	5	52	9	9.5	2
HF0124-A/B0006	6	59.5	10.5	12.5	6
HF0124-A/B0008	8	75	16.5	18	12.5
HF0124-A/B0009	9	86	18	18	8.5
HF0124-A/B0010	10	95	20	20.5	8.5






不锈钢滑轮 Stainless Steel Pulley

单滑轮 AISI304/316
Stainless Steel Eye Swivel Pulley




ITEM NO	SIZE		A	B	C
	mm	mm	mm	mm	
HF0125-A/B0015	15	15	11	60	
HF0125-A/B0020	20	20	13	73	
HF0125-A/B0025	25	25	15	85	
HF0125-A/B0032	32	32	15	95	
HF0125-A/B0050	50	50	20	127	

双滑轮 AISI304/316
Stainless Steel Double Swivel Eye Pulley




ITEM NO	SIZE		A	B	C
	mm	mm	mm	mm	
HF0126-A/B0025	25	25	15	80	
HF0126-A/B0032	32	32	15	93	
HF0126-A/B0050	50	50	20	127	



Seamless Aluminum Oval Ferrules


Aluminum Ferrules Specification EN 13411-3 (DIN3093)

ITEM NO	Ferrule Code	A (mm)	B (mm)	S (mm)	L (mm)	Weight kgs/1000pes
HF013101	1	1.2	2.4	0.65	5	0.098
HF013015	1.5	1.7	3.4	0.75	6	0.176
HF013002	2	2.2	4.4	0.85	7	0.285
HF013025	2.5	2.7	5.4	1.05	9	0.439
HF013103	3	3.3	6.6	1.25	11	0.907
HF013135	3.5	3.8	7.6	1.5	13	1.18
HF013104	4	4.4	8.8	1.7	14	1.63
HF013145	4.5	4.9	9.8	1.9	16	2.39
HF013105	5	5.5	11	2.1	18	3.62
HF013106	6	6.6	13.2	2.5	21	5.87
HF013107	7	7.8	15.6	2.9	25	9.83
HF013108	8	8.8	17.6	3.3	28	12.96
HF013109	9	9.9	19.8	3.7	32	18.94
HF013110	10	10.9	21.8	4.1	35	24.09
HF013111	11	12.1	24.2	4.5	39	35.35
HF013112	12	13.2	26.4	4.9	42	44.18
HF013113	13	14.2	28.4	5.4	46	59.86
HF013114	14	15.3	30.6	5.8	49	73.5
HF013116	16	17.5	35	6.7	56	111
HF013118	18	19.6	39.2	7.6	63	156
HF013120	20	21.7	43.4	8.4	70	217
HF013122	22	24.3	48.6	9.2	77	292
HF013124	24	26.4	52.8	10	84	376
HF013126	26	28.5	57	10.9	91	481
HF013128	28	31	62	11.7	98	603
HF013130	30	33.1	66.2	12.5	105	739
HF013132	32	35.2	70.4	13.4	112	897
HF013134	34	37.8	75.6	14.2	119	1077
HF013136	36	39.8	79.6	15	126	1275
HF013138	38	41.9	83.8	15.8	133	1503
HF013140	40	44	88	16.6	140	1734
HF013142	42	46.2	92.4	17.5	147	2024
HF013144	44	48.4	96.8	18.3	154	2314
HF013146	46	50.6	101.2	19.2	161	2662
HF013148	48	52.8	105.6	20	168	3010
HF013150	50	55	110	20.8	175	3412
HF013152	52	57.2	114.4	21.6	182	3813
HF013154	54	59.4	118.8	22.5	189	4293
HF013156	56	61.6	123.2	23.3	196	4772
HF013158	58	63.8	127.6	24.2	203	5326
HF013160	60	66	132	25	210	5880




JIS Aluminum Ferrule

JIS Aluminum Ferrule							
ITEM NO	Ferrule Size	A	B	C	D	T	L
HF013206	6	13.5	20.3	7.2	13.7	3.3	24
HF013208	8	17.4	26.6	9.2	18.4	4.1	32
HF013209	9	18.9	29.2	10.3	20.6	4.3	36
HF013210	10	20.5	32.0	11.5	23.0	4.5	40
HF013212	12	24.6	38.4	13.8	27.6	5.4	48
HF013214	14	28.1	44.2	16.1	32.2	6.0	56
HF013216	16	31.4	49.8	18.4	36.8	6.5	64
HF013218	18	34.7	55.4	20.7	41.4	7.0	72
HF013220	20	38.0	61.0	23.0	46.0	7.5	80
HF013222	22	41.7	67.0	25.3	50.6	8.2	88
HF013224	24	45.0	72.6	27.6	55.2	8.7	96
HF013226	26	51.9	81.8	29.9	59.8	11.0	104
HF013228	28	55.9	88.1	32.2	64.4	11.9	112
HF013230	30	59.4	93.9	34.5	69.0	12.5	120
HF013232	32	63.1	99.9	36.8	73.6	13.2	128
HF013234	34	65.1	104.2	39.1	78.2	13.0	136
HF013236	36	68.4	109.8	41.4	82.8	13.5	144
HF013238	38	71.6	115.3	43.7	87.3	14.0	152
HF013240	40	75.1	121.0	46.0	92.0	14.5	160




Seamless Steel Oval Ferrules

Stainless Steel Ferrules Specification EN 13411-3(DIN3093)					
Part NO	Ferrule Code	A (mm)	B (mm)	S (mm)	L (mm)
HF013301	1	1.2	2.4	0.65	5
HF013315	1.5	1.7	3.4	0.75	6
HF013302	2	2.2	4.4	0.85	7
HF013325	2.5	2.7	5.4	1.05	9
HF013303	3	3.3	6.6	1.25	11
HF013335	3.5	3.8	7.6	1.5	13
HF013304	4	4.4	8.8	1.7	14
HF013345	4.5	4.9	9.8	1.9	16
HF013305	5	5.5	11	2.1	18
HF013306	6	6.6	13.2	2.5	21
HF013307	7	7.8	15.6	2.9	25
HF013308	8	8.8	17.6	3.3	28
HF013309	9	9.9	19.8	3.7	32
HF013310	10	10.9	21.8	4.1	35
HF013311	11	12.1	24.2	4.5	39
HF013312	12	13.2	26.4	4.9	42
HF013313	13	14.2	28.4	5.4	46
HF013314	14	15.3	30.6	5.8	49
HF013316	16	17.5	35	6.7	56
HF013318	18	19.6	39.2	7.6	63
HF013320	20	21.7	43.4	8.4	70





Seamless Copper Oval Ferrule

EN 13411-3 Seamless Copper Ferrule					
Part NO	Ferrule	A (mm)	B (mm)	S (mm)	L (mm)
HF013401	1	1.2	2.4	0.65	5
HF013415	1.5	1.7	3.4	0.75	6
HF013405	2	2.2	4.4	0.85	7
HF013425	2.5	2.7	5.4	1.05	9
HF013403	3	3.3	6.6	1.25	11
HF013435	3.5	3.8	7.6	1.5	13
HF013404	4	4.4	8.8	1.7	14
HF013445	4.5	4.9	9.8	1.9	16
HF013405	5	5.5	11	2.1	18
HF013406	6	6.6	13.2	2.5	21
HF013407	7	7.8	15.6	2.9	25
HF013408	8	8.8	17.6	3.3	28
HF013409	9	9.9	19.8	3.7	32
HF013410	10	10.9	21.8	4.1	35
HF013411	11	12.1	24.2	4.5	39
HF013412	12	13.2	26.4	4.9	42
HF013413	13	14.2	28.4	5.4	46
HF013414	14	15.3	30.6	5.8	49
HF013416	16	17.5	35	6.7	56
HF013418	18	19.6	39.2	7.6	63
HF013420	20	21.7	43.4	8.4	70



Copper Hourglass Sleeve

Part NO	Sleeve Size	Wire Rope	A	B	C	D	L
	inch	mm	mm	mm	mm	mm	mm
HF0135364	3/64	1	1.59	3.18	3.6	5.2	9.5
HF0135116	1/16	1.5	1.98	3.97	4.4	6.4	9.5
HF0135564	5/64	2	2.38	4.76	5.2	7.9	9.5
HF0135332	3/32	2.5	3.18	6.35	7.1	10.3	12.7
HF0135018	1/8	3	3.97	7.94	8.7	12.7	16
HF0135532	5/32	4	4.76	9.53	9.53	14.3	17
HF0135316	3/16	5	5.56	11.11	11.11	16.7	25
HF0135732	7/32	6	6.35	12.7	12.7	19	26
HF0135014	1/4	6.5	7.14	14.29	13.5	20.6	28
HF0135932	9/32	7	7.94	15.88	14.3	22.2	30
HF0135516	5/16	8 or 9	9.53	19.05	17.5	26.2	32
HF0135038	3/8	10 or 11	11.11	22.23	19.1	29.4	36
HF0135716	7/16	12	12.7	25.4	23.8	36.5	42
HF0135012	1/2	13	14.29	28.58	27	41.3	50
HF0135916	9/16	14	15.88	31.75	28.6	44.5	54
HF0135058	5/8	16	17.46	34.93	31.8	49.2	64




Seamless Copper Round Ferrule

Copper Stop Buttons					
Part NO	SIZE	A (mm)	D (mm)	L (mm)	Weight
		InnerDia	Outer Dia	Length	kg/1000pcs
HF0136364	3/64"	1.54	4.4	4.16	0.236
HF0136116	1/16"	1.92	6.35	4.16	0.278
HF0136564	5/64"	2.38	6.35	4.16	0.282
HF0136332	3/32"	2.9	8.72	7.95	1.05
HF0136018	1/8"	3.86	8.72	7.95	0.949
HF0136532	5/32"	4.7	11.11	8.73	1.76
HF0136316	3/16"	5.54	11.11	8.73	1.69
HF0136732	7/32"	6.35	11.11	8.73	1.5
HF0136014	1/4"	7.2	17.46	17.46	9.07
HF0136516	5/16"	9.53	17.46	17.46	7.46
HF0136038	3/8"	11.13	17.46	17.46	6.58



系船柱 AISI316

Stainless Steel Cleat



ITEM NO	SIZE	L	A	B	H
	in	mm	mm	mm	mm
HF0137	5	125	56	40	23
HF0137	6	150	63	45	32
HF0137	8	200	70	53	39
HF0137	10	250	95	66	43
HF0137	12	300	102	70	55

带槽线索栓 AISI316

Stainless Steel Cleat


ITEM NO	L-in
HF0138	6"
HF0138	8"



扁索栓 AISI316

Stainless Steel Cleat

ITEM NO	L-in
HF0139	5"
HF0139	6"
HF0139	8"



门把手 AISI316

Stainless Steel Lift Handle



ITEM NO	L-mm	W-mm
HF0140	150	50

门把手 AISI316

Stainless Steel Lift Handle




ITEM NO	L-mm	W-mm
HF0141	143	23



骆驼背 AISI304/316


Stainless Steel Eye Strap

ITEM NO	D	d	L2	h	H	L1	WT
	mm	mm	mm	mm	mm	mm	KGS
HF0141-A/B0004	4	4	35	12	16	46	0.005
HF0141-A/B0005	5	4	42	13	17	53	0.008
HF0141-A/B0006	6	5	47	16	22	60	0.013
HF0141-A/B0008	8	6	49	17	25	63	0.026
HF0141-A/B0010	10	6.5	63	22	32	80	0.053



90度直角板 AISI304/316


Stainless Steel Right Angle



ITEM NO	L1	L2	L3	B	H	D5	D6	WT
	mm	KGS						
HF0142-A/B0001	31	13	25	12	3	4	7.3	0.013
HF0142-A/B0002	46	20	38	13	3	4	7.3	0.023
HF0142-A/B0003	61	30	51	15	3	4	7.3	0.035

90度直角板 AISI304/316

Stainless Steel Right Angle



ITEM NO	L1	L2	L3	L4	L5	H	D1	D2	B1	B2	WT
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	KGS
HF0143-A/B0001	41	35	18	12	12	3	8.4	5.3	25	14	0.032
HF0143-A/B0002	56	47.5	18.5	12	17	3	8.4	5.3	35	16.5	0.063
HF0143-A/B0003	80	71	24	21	24	4	8.4	5.3	50	26	0.18



不锈钢船用五金产品 Stainless Steel Marine Hardware

直导缆器-201 AISI316

Stainless Steel Straight Chock

ITEM NO	L-in
HF0144	6"
HF0144	8"

地板扣-202 AISI316

Stainless Steel Lift Ring

ITEM NO	L-mm	W-mm
HF0145	66	56
HF0145	96	69

三通-203 AISI316

Stainless Steel Tees 90°

ITEM NO	Ø
HF0146	1"

三通-204 AISI316

Stainless Steel Tees 90°

ITEM NO	Ø
HF0147	1"

三通-205 AISI316

Stainless Steel Tees 60°

ITEM NO	Ø
HF0148	1"

三通-206 AISI316

Stainless Steel Tees 60°

ITEM NO	Ø
HF0149	1"

弯头-207 AISI316

Stainless Steel Elbow 90°

ITEM NO	Ø
HF0150	1"

90° 圆管座-208 AISI316

Stainless Steel Round Base

ITEM NO	Ø
HF0151	1"

圆管座-209 AISI316

Stainless Steel Elbow 60°

ITEM NO	Ø
HF0152	1"

方管座-210 AISI316

Stainless Steel Rectangular Base 90°

ITEM NO	Ø
HF0153	1"



方管座-211 AISI316

Stainless Steel Rectangular Base 6

ITEM NO	\emptyset
HF0154	1"



山形座-212 AISI316

Stainless Steel Deck Hinge 90° Concave Base

ITEM NO	L*W*H-mm
HF0155	57*18*37



方形骆驼背-220 AISI316

Stainless Steel Eye Strap

ITEM NO	中心距-mm
HF0156	60



中间支架-214 AISI316

Stainless Steel Stanchion (Center) 60°

ITEM NO	\emptyset
HF0157	1"



调裤钩-215 AISI316

Stainless Steel Fender Hook


ITEM NO	L*W*H-mm
HF0158	43*21*16



绑绳器-216 AISI316

Stainless Steel Rope Tying Device

ITEM NO	L-mm
HF0159	71
HF0159	86
HF0159	111



扁平C形环-217 AISI316

Stainless Steel Fender Hook

ITEM NO		A*B
HF0160	5/16	32*12
HF0160	3/8	35*13
HF0160	1/2	51*19





AVAILABLE
TO SERVE
YOU



Add: 山东省滨州市无棣县工业园区
Tel: 0543-2153677
Fax: 0543-2150776
Email: info@haifan-rigging.com
Web: <http://www.haifan-rigging.com>